## SZUTEST

## Certificate of Conformity of the Factory Production Control

2195-CPR-1505601

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

## Cold formed welded structural hollow sections of non-alloy steels made of the following steel grades

(tested for performance for the characteristics described in Annex 1 which is an inseparable part of this certificate)

produced by the manufacturer

## YÜCEL BORU VE PROFIL ENDÜSTRISI A.Ş.

Rıhtım Caddesi No:44 Kadıköy / İstanbul – Turkey

and produced in the manufacturing plant

### YÜCEL BORU VE PROFIL ENDÜSTRISI A.S.

Büyük Tüysüz Mahallesi Vali Kerem Al Caddesi No:8 Tüysüz Beldesi Toprakkale / Osmaniye – Turkey

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 10219-1: 2006

under system 2+ are applied and that the factory production control is assessed to be in conformity with the applicable requirements. This certificate was first issued on 25.02.2015, renewed on 28.02.2025 and will remain valid as long as neither the harmonised standard, the construction product, the assessment and verification of constancy of performance methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body. The certificate is supported through annual surveillance audit and is reissued after each surveillance audit, the period validity date is renewed every year after the surveillance audits.

Validity Date

: 25.02.2027

Period Validity Date

: 25.02.2026



056 15 EN 60HEC 1790 AB-0053-U

FR. CPR. 24 R:04

# SZUTEST

# Certificate of Conformity of the Factory Production Control

2195-CPR-1505601

#### Annex 1

### Intended uses;

To be used in metal structures or in composite metal and concrete structures.

### **Controlled Performance Characteristics:**

- Dimension and Shape Tolerances,
- Yield Strength,
- Elongation,
- Tensile Strength,
- Impact Strength,
- Weldability.

### **Certification Scope:**

ocianoadon odope.		
Steel Grade	Section	Dimension
S235JRH	Circular hollow sections	Ø from 12,70 mm up to Ø 168,30 mm wall thickness: from 1,15 mm up to 8,00 mm
S275J0H		wan anotheres. Nom 1, 10 mm up to 0,00 mm
S275J2H		f 40 40 40F
02700211	Square hollow sections	from 10 mm x 10 mm up to 125 mm x 125 mm, wall thickness: from 1,15 mm up to 8,00 mm
S355J0H		,
S355J2H		from 15 mm x 10 mm up to 100 mm x 150 mm,
S355K2H	Rectangular hollow sections	wall thickness: from 1,15 mm up to 8,00 mm



FR. CPR. 24 R:04